



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORTALITY—Continued.

Weekly mortality table, foreign and insular cities—Continued.

Cities.	Week ended.	Estimated population.	Total deaths from all causes.	Deaths from—								
				Tuberculosis.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Typhoid fever.	Scarlet fever.	Diphtheria.
Maracaibo	June 24	23	1	1
Do	July 1	18	2
Do	July 22	17	1	1
Do	July 29	15	1
Monterey	Aug. 14	100,000	57	2	1
Montreal	Aug. 20	450,000	192	18	4	2
Nantes	July 31	161,908	64	22	1
Do	Aug. 7	65	14	1
Newcastle-on-Tyne	Aug. 6	285,891	75	8	1
Do	Aug. 13	89	6	1	5
Nottingham	July 30	260,000	67	1	5
Munich	Aug. 6	576,000	167	31	1	3
Odessa	July 30	546,000	254	22	2	49	3	6	4	4
Para	Aug. 6	185,000	80	8	8
Paris	do	2,776,394	720	156	4	3	9	9
Penang	July 16	103,582	75	15
Port Said	July 29	53,711	38	2	1
Do	Aug. 5	37	1	2	1
Port of Spain	July 30	60,000	52	9	1	1
Rangoon	July 16	252,155	173	3	40	2	1
Rotterdam	Aug. 13	422,937	71	1	1
St. Petersburg	July 23	1,678,000	850	97	68	9	1	24	16	13
Trieste	Aug. 6	221,124	99	1	2	1
Winnipeg	Aug. 13	135,000	74	1	1	1	1	1
Do	Aug. 20	34	1	1
Yarmouth	do	6,700	1	1

MORTALITY—FOREIGN AND INSULAR—COUNTRIES AND CITIES
(untabulated).

AUSTRALIA—*New Castle*.—Month of May, 1910. Population, 53,450. Total number of deaths from all causes 45, including diphtheria 2, tuberculosis 2.

BERMUDA—*Hamilton*.—Three weeks ended July 18, 1910. Population, 20,026. Total number of deaths from all causes 15. No deaths from contagious diseases.

CANADA—*Vancouver*.—Month of May, 1910. Population, 78,900. Total number of deaths from all causes 52, including typhoid fever 3, measles 1, diphtheria 1, tuberculosis 6.

Month of June, 1910. Total number of deaths from all causes 66, including typhoid fever 2, scarlet fever 1, tuberculosis 6.

Yukon Territory—Dawson.—Month of June, 1910. Population, 9,142. Total number of deaths from all causes 4. No contagious diseases.

CURACAO.—Two weeks ended July 1, 1910. Population, 31,400. Total number of deaths from all causes 7. No contagious diseases.

FORMOSA—*Tamsui*.—Two weeks ended June 18, 1910. Population, 3,132,335. Total number of deaths from all causes not reported. Typhoid fever 5, plague 5.

FRANCE—*Marseille*.—Month of June, 1910. Population, 517,498. Total number of deaths from all causes 750, including typhoid fever 15, measles 8, scarlet fever 2, diphtheria 1, tuberculosis 110.

GREAT BRITAIN.—Week ended July 9, 1910.

England and Wales.—The deaths registered in 77 great towns correspond to an annual rate of 11 per 1,000 of the aggregate population, which is estimated at 16,940,895.

Ireland.—The deaths registered in 21 principal town districts correspond to an annual rate of 17 per 1,000 of the aggregate population, which is estimated at 1,151,790. The lowest rate was recorded at Lurgan, viz, 8.9, and the highest at Queenstown, viz, 26.4 per 1,000.

Scotland.—The deaths registered in 8 principal towns correspond to an annual rate of 12.1 per 1,000 of the aggregate population, which is estimated at 1,865,571. The lowest rate was recorded at Paisley, viz, 6.1, and the highest at Perth, viz, 18.2. The total number of deaths from all causes was 439, including enteric fever 2, measles 8, scarlet fever 4, diphtheria 9.

GREECE—*Patras*.—Period from July 1 to 15, 1910. Population, 40,000. Total number of deaths from all causes 20, including tuberculosis 7.

INDIA—*Rangoon*.—Month of May, 1910. Population, 295,803. Total number of deaths from all causes 783, including typhoid fever 2, smallpox 35, tuberculosis 27.

ITALY—*Rome*.—Three weeks ended January 22, 1910. Population, 584,308. Total number of deaths from all causes 734, including typhoid fever 10, measles 5, diphtheria 13, tuberculosis 56.

RUSSIA—*Riga*.—Month of April, 1910. Population, 355,000. Total number of deaths from all causes 677, including typhus fever 32, typhoid fever 2, smallpox 9, measles 4, scarlet fever 46, diphtheria 16.

SPAIN—*Cadiz*.—Month of June, 1910. Population, 69,382. Total number of deaths from all causes 168, including typhoid fever 4, diphtheria 1, tuberculosis 21.

TASMANIA—*Hobart*.—Month of May, 1910. Population, 185,387. Total number of deaths from all causes 161, including typhoid fever 13, diphtheria 1, tuberculosis 11.

TRIPOLI—*Tripoli*.—Period from March 26 to June 11, 1910. Population, 42,000. Total number of deaths from all causes not reported. Thirty deaths from typhoid fever and 12 from tuberculosis reported.

URUGUAY—*Montevideo*.—Month of April, 1910. Population, 325,465. Total number of deaths from all causes 472, including typhoid fever 10, smallpox 64, diphtheria 1, tuberculosis 73.

By authority of the Secretary of the Treasury:

WALTER WYMAN,

Surgeon-General,

United States Public Health and Marine-Hospital Service.